

Excel Points Loader

User Manual

IPLAB

Copyright © 2016 IPLAB. All rights reserved.

This work contains the confidential and proprietary trade secrets of IPLAB and may not be copied or stored in an information retrieval system, transferred, used, distributed, translated or retransmitted in any form or by any means, electronic or mechanical, in whole or in part, without the express written permission of the copyright owner.

Start:

Import->

Excel point attributes Loader

Or:

File->

Import->

PointSet

The loader working according the following:

1. After selection Excel file the loader reading all worksheets with all column names.
First row HAVE TO BE STRING NAMES FOR COLUMN! (see Figure 2)
2. User can select Worksheet and columns with X, Y, Z, for loading. All other columns will be loaded with corresponded names.
3. Click Load bottom to start loading process.




Figure 1: Points Loader dialog

X	Y	Heff	well	Facies
284214.65	3471470.62	177.9	AHWAZ-008	7
302717.25	3458269.42	152	AHWAZ-101	7
292123.41	3467532.63	123.5	AHWAZ-307	7
372910.71	3312851.42	73.4	BAHREGANSAR-001	7

297138.91	3418479.52	224	Mansuri-001	7
290741.27	3427929.78	87.9	Mansuri-057	7
239186.75	3402878.22	173.7	DARQUAIN-001	7
291301.27	3426935.86	240	Mansuri-002	7
295576.91	3420880.94	7.4	Mansuri-006	7
406657.88	3333815.1	22.1	BANDAR-E_DAYLAM-001	7
342249.6	3257497.44	42.2	PALINURUS-001	7
365668.7	3294601.2	32.6	SALAR-001	7
387235.79	3293254.21	32.3	TABAN-001	7
416283.12	3142198.46	9.1	Binaloud_B-001	7
351241.53	3337827.08	32.8	Mahshar-001	7
438704.48	3290071.35	0	BINAK-002	3
437760.3	3293224.16	0	BINAK-004	3
433649.11	3297147.8	0	BINAK-007	3

Figure 2: Typical excel file worksheet for loading